

APPENDIX F

LIST OF TAXA FOUND WITHIN THE PRECINCT

**APPENDIX F: SUMMARY OF VASCULAR PLANT SPECIES
RECORDED WITHIN PRECINCT 3, SOUTHERN RIVER**

*: denotes introduced species, sp.: denotes unidentifiable species, (P4): denotes conservation rating

FAMILY	TAXA	
DENNSTAEDTIACEAE	<i>Pteridium</i>	<i>esculentum</i>
ZAMIACEAE	<i>Macrozamia</i>	<i>riedlei</i>
PINACEAE	* <i>Pinus</i>	<i>pinaster</i>
APONOGETONACEAE	<i>Aponogeton</i>	<i>hexatepalus</i> (P4)
POACEAE	<i>Amphipogon</i>	<i>turbinatus</i>
	* <i>Arundo</i>	<i>donax</i>
	* <i>Avena</i>	<i>barbata</i>
	* <i>Briza</i>	<i>maxima</i>
	* <i>Briza</i>	<i>minor</i>
	* <i>Bromus</i>	<i>diandrus</i>
	* <i>Cortaderia</i>	<i>selloana</i>
	* <i>Cynodon</i>	<i>dactylon</i>
	* <i>Ehrharta</i>	<i>calycina</i>
	* <i>Eragrostis</i>	<i>curvula</i>
	* <i>Lolium</i>	<i>rigidum</i>
	<i>Neurachne</i>	<i>alopecuroidea</i>
	* <i>Pennisetum</i>	<i>clandestinum</i>
	<i>Tetrarrhena</i>	<i>laevis</i>
CYPERACEAE	<i>Baumea</i>	<i>vaginalis</i>
	<i>Evandra</i>	<i>pauciflora</i>
	<i>Gahnia</i>	<i>trifida</i>
	<i>Lepidosperma</i>	<i>leptostachyum</i>
	<i>Lepidosperma</i>	<i>longitudinale</i>
	<i>Lepidosperma</i>	<i>squamatum</i>
	<i>Mesomelaena</i>	<i>squamatum</i> (narrow form)
	<i>Mesomelaena</i>	<i>pseudostygia</i>
	<i>Schoenus</i>	<i>tetragona</i>
	<i>Schoenus</i>	<i>curvifolius</i>
	<i>Tetraria</i>	<i>efoliatus</i>
		<i>octandra</i>
ARACEAE	* <i>Zantedeschia</i>	<i>aethiopica</i>
RESTIONACEAE	<i>Chaetanthus</i>	<i>aristatus</i>
	<i>Chordifex</i>	<i>sinuosus</i>
	<i>Desmocladus</i>	<i>fasciculatus</i>
	<i>Desmocladus</i>	<i>flexuosus</i>
	<i>Hypolaena</i>	<i>exsulca</i>
	<i>Lyginia</i>	<i>imberbis</i>
	<i>Meeboldina</i>	<i>cana</i>
JUNCACEAE	<i>Juncus</i>	<i>pallidus</i>
ASPARAGACEAE	* <i>Asparagus</i>	<i>asparagooides</i>

**APPENDIX F: SUMMARY OF VASCULAR PLANT SPECIES
RECORDED WITHIN PRECINCT 3, SOUTHERN RIVER**

*: denotes introduced species, sp.: denotes unidentifiable species, (P4): denotes conservation rating

FAMILY	TAXA	
DASYPOGONACEAE	<i>Calectasia narragara</i> <i>Dasypogon bromeliifolius</i> <i>Kingia australis</i> <i>Lomandra caespitosa</i> <i>Lomandra hermaphrodita</i> <i>Lomandra nigricans</i> <i>Lomandra preissii</i> <i>Lomandra sericea</i>	
XANTHORRHOEACEAE	<i>Xanthorrhoea gracilis</i> <i>Xanthorrhoea preissii</i>	
ANTHERICACEAE	<i>Borya scirpoidea</i> <i>Chamaescilla corymbosa</i> <i>Hensmania turbinata</i> <i>Johnsonia pubescens</i> subsp. <i>pubescens</i> <i>Laxmannia ramosa</i> subsp. <i>ramosa</i> <i>Laxmannia squarrosa</i> <i>Sowerbaea laxiflora</i> <i>Thysanotus dichotomus</i> <i>Thysanotus patersonii</i> <i>Thysanotus sparteus</i> <i>Tricoryne elatior</i> <i>Tricoryne sp.</i>	
COLCHICACEAE	<i>Burchardia umbellata</i>	
HAEMODORACEAE	<i>Anigozanthos humilis</i> <i>Anigozanthos manglesii</i> <i>Blancoa canescens</i> <i>Conostylis aculeata</i> <i>Conostylis juncea</i> <i>Conostylis setigera</i> subsp. <i>setigera</i> <i>Haemodorum laxum</i> <i>Phlebocarya ciliata</i>	
IRIDACEAE	* <i>Freesia</i> 'hybrid' * <i>Gladiolus caryophyllaceus</i> * <i>Moraea flaccida</i> <i>Patersonia occidentalis</i> * <i>Romulea rosea</i> var. <i>australis</i> <i>Watsonia meriana</i> var. <i>bulbillifera</i>	
ORCHIDACEAE	<i>Caladenia flava</i> <i>Caladenia latifolia</i> <i>Diuris corymbosa</i> <i>Elythranthera brunonis</i> <i>Orchidaceae sp.</i> <i>Pterostylis recurva</i> <i>Pterostylis sanguinea</i>	

**APPENDIX F: SUMMARY OF VASCULAR PLANT SPECIES
RECORDED WITHIN PRECINCT 3, SOUTHERN RIVER**

*: denotes introduced species, sp.: denotes unidentifiable species, (P4): denotes conservation rating

FAMILY	TAXA	
ORCHIDACEAE	<i>Pterostylis</i>	<i>vittata</i>
continued	<i>Pyrorchis</i>	<i>nigricans</i>
CASUARINACEAE	<i>Allocasuarina</i>	<i>fraseriana</i>
	<i>Allocasuarina</i>	<i>humilis</i>
PROTEACEAE	<i>Adenanthos</i>	<i>cygnorum</i>
	<i>Adenanthos</i>	<i>obovatus</i>
	<i>Banksia</i>	<i>attenuata</i>
	<i>Banksia</i>	<i>grandis</i>
	<i>Banksia</i>	<i>ilicifolia</i>
	<i>Banksia</i>	<i>menziesii</i>
	<i>Dryandra</i>	<i>lindleyana</i> var. <i>lindleyana</i>
	<i>Hakea</i>	<i>candolleana</i>
	<i>Hakea</i>	<i>sulcata</i>
	<i>Hakea</i>	<i>trifurcata</i>
	<i>Hakea</i>	<i>varia</i>
	<i>Petrophile</i>	<i>juncifolia</i>
	<i>Petrophile</i>	<i>linearis</i>
	<i>Stirlingia</i>	<i>latifolia</i>
	<i>Synaphea</i>	<i>spinulosa</i> subsp. <i>spinulosa</i>
SANTALACEAE	<i>Leptomeria</i>	<i>cunninghamii</i>
LORANTHACEAE	<i>Nuytsia</i>	<i>floribunda</i>
POLYGONACEAE	* <i>Rumex</i>	<i>crispus</i>
AIZOACEAE	* <i>Carpobrotus</i>	<i>edulis</i>
LAURACEAE	<i>Cassytha</i>	<i>flava</i>
	<i>Cassytha</i>	sp.
FUMARIACEAE	* <i>Fumaria</i>	<i>capreolata</i>
BRASSICACEAE	* <i>Raphanus</i>	<i>raphanistrum</i>
DROSERACEAE	<i>Drosera</i>	<i>erythrorhiza</i>
	<i>Drosera</i>	<i>menziesii</i>
	<i>Drosera</i>	<i>paleacea</i>
	<i>Drosera</i>	<i>pallida</i>
	<i>Drosera</i>	<i>todtiana</i>
CRASSULACEAE	<i>Crassula</i>	<i>colorata</i> subsp. <i>colorata</i>
MIMOSACEAE	<i>Acacia</i>	<i>applanata</i>
	<i>Acacia</i>	<i>huegelii</i>
	<i>Acacia</i>	<i>lasiocarpa</i> var. <i>lasiocarpa</i>
*	<i>Acacia</i>	<i>longifolia</i> subsp. <i>longifolia</i>
	<i>Acacia</i>	<i>pulchella</i>

**APPENDIX F: SUMMARY OF VASCULAR PLANT SPECIES
RECORDED WITHIN PRECINCT 3, SOUTHERN RIVER**

*: denotes introduced species, sp.: denotes unidentifiable species, (P4): denotes conservation rating

FAMILY	TAXA	
MIMOSACEAE	<i>Acacia</i>	<i>pulchella</i> var. <i>glaberrima</i>
continued	<i>Acacia</i>	<i>saligna</i>
	<i>Acacia</i>	<i>sessilis</i>
	<i>Acacia</i>	<i>stenoptera</i>
PAPILIONACEAE	<i>Aotus</i>	<i>gracillima</i>
	<i>Bossiaea</i>	<i>eriocarpa</i>
	<i>Chamaecytisus</i>	<i>palmensis</i>
	<i>Daviesia</i>	<i>incrassata</i> subsp. <i>incrassata</i>
	<i>Daviesia</i>	<i>physodes</i>
	<i>Daviesia</i>	<i>triflora</i>
	* <i>Erythrina</i>	<i>x sykesii</i>
	<i>Euchilopsis</i>	<i>linearis</i>
	<i>Gastrolobium</i>	<i>capitatum</i>
	<i>Gompholobium</i>	<i>aristatum</i>
	<i>Gompholobium</i>	<i>confertum</i>
	<i>Gompholobium</i>	<i>tomentosum</i>
	<i>Hovea</i>	<i>trisperma</i>
	<i>Isotropis</i>	<i>cuneifolia</i> subsp. <i>cuneifolia</i>
	<i>Jacksonia</i>	<i>furcellata</i>
	<i>Jacksonia</i>	<i>gracillima</i>
	<i>Jacksonia</i>	<i>sternbergiana</i>
	<i>Kennedia</i>	<i>coccinea</i>
	* <i>Lupinus</i>	<i>cosentinii</i>
	* <i>Trifolium</i>	<i>campestre</i>
	* <i>Trifolium</i>	<i>dubium</i>
	<i>Viminaria</i>	<i>junccea</i>
GERANIACEAE	* <i>Erodium</i>	<i>botrys</i>
	* <i>Pelargonium</i>	<i>capitatum</i>
OXALIDACEAE	* <i>Oxalis</i>	<i>pes-caprae</i>
RUTACEAE	<i>Boronia</i>	<i>dichotoma</i>
	<i>Philotheca</i>	<i>spicata</i>
EUPHORBIACEAE	<i>Phyllanthus</i>	<i>calycinus</i>
	* <i>Ricinus</i>	<i>communis</i>
ANACARDIACEAE	* <i>Schinus</i>	<i>terebinthifolia</i>
DILLENIACEAE	<i>Hibbertia</i>	<i>glomerata</i> subsp. <i>darlingensis</i> (intermediate variant)
	<i>Hibbertia</i>	<i>huegelii</i>
	<i>Hibbertia</i>	<i>hypericoides</i>
	<i>Hibbertia</i>	<i>subvaginata</i>
VIOLACEAE	<i>Hybanthus</i>	<i>calycinus</i>
THYMELAEACEAE	<i>Pimelea</i>	<i>imbricata</i>
	<i>Pimelea</i>	<i>leucantha</i>

**APPENDIX F: SUMMARY OF VASCULAR PLANT SPECIES
RECORDED WITHIN PRECINCT 3, SOUTHERN RIVER**

*: denotes introduced species, sp.: denotes unidentifiable species, (P4): denotes conservation rating

FAMILY	TAXA	
MYRTACEAE	<i>Agonis flexuosa</i> <i>Astartea affinis</i> <i>Astartea scoparia</i> <i>Baeckea camphorosmae</i> <i>Calytrix flavescens</i> <i>Calytrix fraseri</i> <i>Calytrix ?angulata</i> <i>Corymbia calophylla</i> <i>Eremaea pauciflora</i> var. <i>pauciflora</i> <i>Eucalyptus ?camaldulensis</i> <i>Eucalyptus decipiens</i> subsp. <i>decipiens</i> <i>Eucalyptus gomphocephala</i> <i>Eucalyptus rufa</i> <i>Eucalyptus sp.</i> <i>Eucalyptus todiana</i> <i>Hypocalymma angustifolium</i> <i>Kunzea glabrescens</i> * <i>Leptospermum laevigatum</i> <i>Melaleuca incana</i> subsp. <i>incana</i> <i>Melaleuca preissiana</i> <i>Melaleuca preissii</i> <i>Melaleuca rhamphophylla</i> <i>Melaleuca scabra</i> <i>Melaleuca seriata</i> <i>Melaleuca thymoides</i> <i>Melaleuca viminea</i> var. <i>viminea</i> <i>Pericalymma ellipticum</i> var. <i>ellipticum</i> <i>Pericalymma ellipticum</i> var. <i>floridum</i> <i>Regelia ciliata</i> <i>Scholtzia involucrata</i> <i>Verticordia densiflora</i> var. <i>densiflora</i> <i>Verticordia lindleyi</i> subsp. <i>lindleyi</i> (P4)	
HALORAGACEAE	<i>Gonocarpus pithyoides</i>	
APIACEAE	<i>Trachymene pilosa</i>	
EPACRIDACEAE	<i>Astrolooma pallidum</i> <i>Astrolooma xerophyllum</i> <i>Conostephium pendulum</i> <i>Leucopogon conostephioides</i> <i>Leucopogon sp.</i> <i>Leucopogon sprengelioides</i> <i>Leucopogon tenuis</i> <i>Lysinema ciliatum</i>	
CONVOLVULACEAE	* <i>Ipomoea indica</i>	
BORAGINACEAE	* <i>Echium plantagineum</i>	

**APPENDIX F: SUMMARY OF VASCULAR PLANT SPECIES
RECORDED WITHIN PRECINCT 3, SOUTHERN RIVER**

*: denotes introduced species, sp.: denotes unidentifiable species, (P4): denotes conservation rating

FAMILY	TAXA	
LAMIACEAE	<i>Hemiandra</i>	<i>pungens</i>
SCROPHULARIACEAE	* <i>Dischisma</i>	<i>capitatum</i>
OROBANCHACEAE	* <i>Orobanche</i>	<i>minor</i>
GOODENIACEAE	<i>Dampiera</i>	<i>alata</i>
	<i>Dampiera</i>	<i>linearis</i>
	<i>Lechenaultia</i>	<i>biloba</i>
	<i>Scaevola</i>	<i>lanceolata</i>
STYLIDIACEAE	<i>Stylium</i>	<i>brunonianum</i>
	<i>Stylium</i>	<i>calcaratum</i>
	<i>Stylium</i>	<i>diuroides</i> subsp. <i>diuroides</i>
	<i>Stylium</i>	<i>piliferum</i>
	<i>Stylium</i>	<i>repens</i>
	<i>Stylium</i>	<i>rhynchocarpum</i>
	<i>Stylium</i>	<i>schoenoides</i>
ASTERACEAE	* <i>Arctotheca</i>	<i>calendula</i>
	* <i>Hypochaeris</i>	<i>glabra</i>
	<i>Podotheca</i>	<i>gnaphaliooides</i>
	<i>Quinetia</i>	<i>urvillei</i>
	<i>Rhodanthe</i>	<i>citrina</i>
	<i>Siloxerus</i>	<i>humifusus</i>
	* <i>Sonchus</i>	<i>oleraceus</i>
	* <i>Ursinia</i>	<i>anthemoides</i>